

# 2009

## Journal of Robotics and Mechatronics

### Table of Contents

### Volume 21

Vol.21 No.1, February 2009

#### Papers:

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>□ <b>Emergent Approach to Circle Formation by Multiple Autonomous Modular Robots . . . . . 3</b><br/>Takehiro Miyamae, Sumiaki Ichikawa, and Fumio Hara</li> <li>□ <b>Adaptive Gait for Large Rough Terrain of a Leg-Wheel Robot (Third Report: Step-Down Gait) . . . . . 12</b><br/>Shuro Nakajima and Eiji Nakano</li> <li>□ <b>Development of MRI Compatible Manipulandum for Hand and Arm Movement 20</b><br/>Toshiyuki Aodai and Shigeki Toyama</li> <li>□ <b>Human Recognition Using RFID Technology and Stereo Vision . . . . . 28</b><br/>Songmin Jia, Jinbuo Sheng, Daisuke Chugo, and Kunikatsu Takase</li> <li>□ <b>Adaptive Coordinated Control of Multi-Fingered Robot Hand . . . . . 36</b><br/>Satoshi Ueki, Haruhisa Kawasaki, and Tetsuya Mouri</li> <li>□ <b>Iterative Transportation by Multiple Mobile Robots Considering Unknown Obstacles . . . . . 44</b><br/>Kousuke Inoue, Jun Ota, and Tamio Arai</li> <li>□ <b>A Conversion of a Cooperative Transportation System with Two Car-Like Mobile Robots into Two-Chain, Single-Generator Chained Form and its Steering . . . . . 57</b><br/>Hiroaki Yamaguchi and Tamio Arai</li> <li>□ <b>Control of a Two-Joint, Two-Steering Snake-Like Robot . . . . . 66</b><br/>Hiroaki Yamaguchi</li> <li>□ <b>Stepwise Locomotion on a Deformable Surface Using Shear Displacement Produced by a Pneumatic Suction Device . . . . . 74</b><br/>Toshiaki Horie and Satoshi Konishi</li> <li>□ <b>Comparison with Amount of Gustatory Sense and Nasal Skin Temperature. . . . . 81</b><br/>Hirotoshi Asano, Tota Mizuno, Akio Nozawa, and Hideto Ide</li> </ul> | <ul style="list-style-type: none"> <li>□ <b>Evaluation of Cognition of Information Which is Stimulated by the Sense of Touch Using Phantom Sensation and Apparent Movement . 87</b><br/>Tota Mizuno, Hirotoshi Asano, and Hideto Ide</li> <li>□ <b>A Quantitative Navigability Measure of Rough Maps . . . . . 95</b><br/>Jooseop Yun and Jun Miura</li> <li>□ <b>Force Compensating Trajectories for Redundant Robots: Experimental Results . . 104</b><br/>Daniela Vassileva, George Boiadjev, Haruhisa Kawasaki, and Tetsuya Mouri</li> <li>□ <b>Performance Evaluation of Rotor Flux-Oriented Control on FPGA for Advanced AC Drives . . . . . 113</b><br/>Stéphane Simard, Rachid Beguenane, and Jean-Gabriel Mailloux</li> <li>□ <b>Eccentricity Compensator for Wide-Angle Fovea Vision Sensor . . . . . 121</b><br/>Sota Shimizu and Joel W. Burdick</li> <li>□ <b>Eccentricity Estimator for Wide-Angle Fovea Vision Sensor . . . . . 128</b><br/>Sota Shimizu and Joel W. Burdick</li> <li>□ <b>Quantitative Evaluation of Automatic Parts Delivery in “Attentive Workbench” Supporting Workers in Cell Production . . . 135</b><br/>Masao Sugi, Ippei Matsumura, Yusuke Tamura, Makoto Nikaido, Jun Ota, Tamio Arai, Kiyoshi Kotani, Kiyoshi Takamasu, Hiromasa Suzuki, Akio Yamamoto, Yoichi Sato, Seiichi Shin, and Fumihiko Kimura</li> <li>□ <b>Hybrid Impedance Control of Massage Considering Dynamic Interaction of Human and Robot Collaboration Systems. . . . . 146</b><br/>Kazuhiko Terashima, Takanori Miyoshi, Keisuke Mouri, Hideo Kitagawa, and Panya Minyong</li> </ul> |
|--|--|

**Development Report:**

- **Development of Training Equipment with Adaptive and Learning Using a Balloon Actuator-Sensor System . . . . . 156**  
Ryota Kurozumi, Toru Yamamoto,  
Shoichiro Fujisawa, and Osamu Sueda

Vol.21 No.2, April 2009

**Editorial for Special Issue:**

- **Special Issue on Selected Papers from ROBOMECH'08 (Part 1) . . . . . 171**  
Kazunori Umeda and Hiroki Murakami

**Papers:**

- **A Study on Adaptive Arch Structure Applying Variable Geometry Truss (Mechanism of Movable Arch Roof with External Panel) . . 172**  
Fumihiro Inoue
- **Realizing Spiral Laminar Flow Interfaces with Improved Micro Rotary Reactor . . . . 179**  
Hiroaki Furusawa, Koichi Suzumori,  
Takefumi Kanda, Akinori Muto,  
and Yusaku Sakata
- **Development of an Automated Microscope for Supporting Qualitative Asbestos Analysis by Dispersion Staining . . . . . 186**  
Kuniaki Kawabata, Soichiro Morishita,  
Hiroshi Takemura, Kazuhiro Hotta,  
Taketoshi Mishima, Hajime Asama,  
Hiroshi Mizoguchi, and Haruhisa Takahashi
- **Tunnel Cross-Section Measurement System Using a Mobile Mapping System . . . . . 193**  
Kiichiro Ishikawa, Jun-ichi Takiguchi,  
Yoshiharu Amano, Takumi Hashizume,  
and Takashi Fujishima
- **High Speed and High Sensitivity Slip Sensor Utilizing Characteristics of Conductive Rubber – Relationship Between Shear Deformation of Conductive Rubber and Resistance Change – 200**  
Seiichi Teshigawara, Kenjiro Tadakuma,  
Aiguo Ming, Masatoshi Ishikawa,  
and Makoto Shimojo
- **Magnetically Driven Microtools Actuated by a Focused Magnetic Field for Separating of Microparticles . . . . . 209**  
Shinya Sakuma, Yoko Yamanishi,  
and Fumihito Arai
- **Hollow, Variably Configured Segmented Wheel Suitable for Snow Travel. . . . . 216**  
Shotaro Takaoka, Kazuya Horikawa,  
Akinori Nagano, and Taro Iwamoto

- **Possibility of Head-Shape Simplification for an Acoustical Telepresence Robot: *TeleHead* . 223**  
Iwaki Toshima and Shigeaki Aoki
- **On-Chip Droplet Dispensing by a Magnetically Driven Microtool . . . . . 229**  
Yoko Yamanishi, Yuki Kihara,  
Shinya Sakuma, and Fumihito Arai
- **Identification of Contact Conditions from Contact Force and Moment – Experimental Verification in Effective Sensing Strategy – . 236**  
Takayoshi Yamada, Tetsuya Mouri,  
Akira Tanaka, Nobuharu Mimura,  
and Yasuyuki Funahashi
- **“Future Dream!” Review of The 2007 Robotics-Mechatronics Design Competition . 245**  
Taisuke Sakaki, Ryuichi Oguro,  
Shinichi Sagara, Kanta Aoki,  
Nobuhiro Ushimi, Takanori Kiyota,  
Ryo Kikuuwe, Makoto Iwamura,  
Manabu Fukushima, Keiji Imado,  
Hidetaka Ikeuchi, and Shunji Moromugi
- **Design of Autonomous / Man-Machine-Cooperative Mobile Robot . . 252**  
Shinkichi Inagaki, Tatsuya Suzuki,  
Takahiro Ito, and Wu Shidan
- **Compact Force Sensor Using AT-Cut Quartz Crystal Resonator Supported by Novel Retention Mechanism . . . . . 260**  
Keisuke Narumi, Ayumi Asakura,  
Toshio Fukuda, and Fumihito Arai
- **Functions of Mobile-Robot Step-On Interface 267**  
Takafumi Matsumaru and Kosuke Akai
- **Hovering Control of a Tail-Sitter VTOL Aerial Robot. . . . . 277**  
Koichi Kita, Atsushi Konno,  
and Masaru Uchiyama

**Regular Paper:**

- **Adaptive Gait for Large Rough Terrain of a Leg-Wheel Robot (Fourth Report: Step-Over Gait) . . . . . 285**  
Shuro Nakajima and Eiji Nakano

## Vol.21 No.3, June 2009

**Editorial for Special Issue:**

- **Special Issue on Selected Papers from ROBOMECH'08 (Part 2)** . . . . . 300  
Kazunori Umeda and Hiroki Murakami

**Papers:**

- **Intelligent Cutter for Pork Deboning Robot (Automatic Processing of Complete Pre-Deboning Process of Pork Arm)**. . . . . 301  
Akitoshi Itoh, Yoshiaki Mori,  
Yuuki Sugiyama, and Shinzo Mammoto
- **Kinodynamic Planning for Humanoid Robots Walking on Uneven Terrain**. . . . . 311  
Kensuke Harada, Mitsuharu Morisawa,  
Shin-ichiro Nakaoka, Kenji Kaneko,  
and Shuuji Kajita
- **An Emotional Model Based on Location-Dependent Memory for Partner Robots**. . . . . 317  
Naoyuki Kubota and Shiho Wakisaka
- **Parameter Setting Method for Sit-Stand Assist System Based on Human Model** . . . . 324  
Yasuhisa Hirata, Jun'ichi Higuchi,  
Takuro Hatsukari, and Kazuhiro Kosuge
- **Dynamic Remodeling of Environmental Map Using Range Data for Remote Operation of Mobile Robot** . . . . . 332  
Takafumi Matsumaru, Hiroshi Yamamori,  
and Takumi Fujita
- **Trajectory Generation for Adaptive Motion by Phase Feedback – Synchronization of Multicycle Human Movement –** . . . . . 342  
Takayuki Ubukata, Shinya Kotosaka,  
and Hideyuki Ohtaki
- **Development of Energy Autonomous Type Pneumatic Walking Support Shoes** . . . . . 353  
Masahiro Takaiwa and Toshiro Noritsugu
- **A Proposal of Real-Time Configuration Control System for Redundant Manipulators** 359  
Tongxiao Zhang, Mamoru Minami,  
Wei Song, and Yusaku Nakamura

- **View-Based Localization Using Head-Mounted Multi Sensors Information**. . . 376  
Hiroaki Yaguchi, Nikolaus Zaoputra,  
Naotaka Hatao, Kimitoshi Yamazaki,  
Kei Okada, and Masayuki Inaba
- **Educational Project for Robotics and Mechatronics Using Tele-Control System Between National College of Technology and Toyohashi University of Technology**. . . 384  
Takashi Imamura, Takanori Miyoshi,  
Kazunari Miyake, Shinichi Arai,  
Tatsuya Okada, Manabu Yamamoto,  
Minh Duc Duong, Masayuki Okabe,  
Hideo Kitagawa, Tomoyasu Ichimura,  
Eiji Nishiyama, Yasunori Kawai,  
Shinya Oyama, and Kazuhiko Terashima
- **Tractor Guidance System for Farm Work Using DGPS and Gyroscope** . . . . . 394  
Keiichi Inoue, Kazuhiro Nii, and Yun Zhang
- **Stabilizing Passive Dynamic Walk Under Wide Range of Environments by Constraint Mechanism Fitted to Sole of Foot** . . . . . 403  
Kazuyuki Hyodo, Takeshi Oshimura,  
Sadayoshi Mikami, and Sho'ji Suzuki
- **Fabrication of Articulated Microarm for Endoscopy by Stacked Microassembly Process (STAMP)** . . . . . 412  
Keisuke Narumi, Daisaku Azuma,  
and Fumihito Arai

**Regular Papers:**

- **Adaptive Gait for Large Rough Terrain of a Leg-Wheel Robot (Fifth Report: Integrated Gait)** . . . . . 419  
Shuro Nakajima and Eiji Nakano
- **Neuro-Fuzzy Control of Power-Assist Omnidirectional Wheelchair Using Human-Friendly Touch Panel**. . . . . 427  
Kazuhiko Terashima, Hideo Kitagawa,  
Takanori Miyoshi, Sou Kitamura,  
and Juan Urbano

## Vol.21 No.4, August 2009

**Editorial for Special Issue:**

- **Special Issue on Kukanchi Interactive Human-Space Design and Intelligence. . . . . 441**  
Makoto Mizukawa, Kazuhito Yokoi,  
Tsutomu Hasegawa, Shigeki Sugano,  
and Yasushi Nakauchi

**Papers:**

- **A Service System Adapted to Changing Environments Using “Kukanchi” . . . . . 443**  
Yusuke Fukusato, Eri sato-Simokawara,  
Toru Yamaguchi, and Makoto Mizukawa
- **Supporting Robotic Activities in Informationally Structured Environment with Distributed Sensors and RFID Tags . . . . . 453**  
Kouji Murakami, Tsutomu Hasegawa,  
Ryo Kurazume, and Yoshihiko Kimuro
- **Rotation-Based Dynamic Localization at an Initial Dead-Zone Avoidance Stage on an RFID Tag Lattice . . . . . 460**  
Kenri Kodaka, Haruhiko Niwa,  
and Shigeki Sugano
- **A Mobile Sensor Network Forming Concentric Circles Through Local Interaction and Consensus Building . . . . . 469**  
Geunho Lee, Seokhoon Yoon,  
Nak Young Chong, and Henrik Christensen
- **Autonomous Motion Generation Based on Reliable Predictability . . . . . 478**  
Shun Nishide, Tetsuya Ogata, Jun Tani,  
Kazunori Komatani, and Hiroshi G. Okuno
- **Robot Technology Ontology Targeting Robot Technology Services in *Kukanchi* –“Interactive Human-Space Design and Intelligence” . . . . . 489**  
Ken Ukai, Yoshinobu Ando,  
and Makoto Mizukawa

- **Cooking Procedure Recognition and Support by Ubiquitous Sensors . . . . . 498**  
Sho Murakami, Takuo Suzuki,  
Akira Tokumasu, and Yasushi Nakauchi
- **Design and Control of Librarian Robot System in Information Structured Environments . . . . . 507**  
Bong Keun Kim, Kenichi Ohara,  
Kosei Kitagaki, and Kohtaro Ohba
- **Observation of Human Activities Based on Spatial Memory in Intelligent Space. . . . . 515**  
Mihoko Niitsuma and Hideki Hashimoto

**Regular Papers:**

- **User-Adaptive Reconfigurable Interface for In-Vehicle Information Systems . . . . . 524**  
Sangho Kim, Kosuke Sekiyama,  
and Toshio Fukuda
- **A Double Image Acquisition System with Visible and UV LEDs for Citrus Fruit. . . . . 533**  
Mitsutaka Kurita, Naoshi Kondo,  
Hiroshi Shimizu, Peter Ling, Paolo D. Falzea,  
Tomoo Shiigi, Kazunori Ninomiya,  
Takahisa Nishizu, and Kazuya Yamamoto
- **Control of A New Type of Undulatory Wheeled Locomotor: A Trident Steering Walker Based on Chained Form . . . . . 541**  
Hiroaki Yamaguchi
- **Improvement of Vibration Sensitivity by Tangential Vibration . . . . . 554**  
Hie-yong Jeong, Mitsuru Higashimori,  
and Makoto Kaneko

## Vol.21 No.5, October 2009

**Editorial for Special Issue:**

- **Special Issue on Mechatronics Technologies from Asia to the World. . . . . 567**  
Takayuki Tanaka, Shun'ichi Kaneko,  
Aiguo Ming, and Kazunori Umeda

**Papers:**

- **Detection Principle of Shape and Orientation of Corrosive Defects Using Lamb Waves. . . . . 568**  
Chunguang Xu, Joseph L. Rose,  
and Xiang Zhao

- **Three-Dimensional Environment Model Construction from an Omnidirectional Image Sequence . . . . . 574**  
Ryosuke Kawanishi, Atsushi Yamashita,  
and Toru Kaneko
- **Development of Asparagus Harvester Coordinated with 3-D Vision Sensor . . . . . 583**  
Naoki Irie, Nobuyoshi Taguchi,  
Takao Horie and Takakazu Ishimatsu

- **Velocity and Acceleration Estimation by a Nonlinear Filter Based on Sliding Mode and Application to Control System** . . . . . 590  
Takanori Emaru, Kazuo Imagawa,  
Yohei Hoshino, and Yukinori Kobayashi
  - **Human Joint Motion Recognition Using Ultrasound Pulse Echo Based on Test Feature Classifier** . . . . . 597  
Yoichiro Tsutsui, Takayuki Tanaka,  
Shun'ichi Kaneko, Yukinobu Sakata,  
and Maria Q. Feng
  - **Development of Power Assist Wear Using Pneumatic Rubber Artificial Muscles** . . . . 607  
Toshiro Noritsugu, Masahiro Takaiwa,  
and Daisuke Sasaki
  - **Perception-Assist with an Active Stereo Camera for an Upper-Limb Power-Assist Exoskeleton** . . . . . 614  
Kazuo Kiguchi, Manoj Liyanage,  
and Yasunori Kose
  - **SIEN: Telescopic-Arm Climbing-Support Robot** . . . . . 621  
Tomoyuki Yamaguchi, Yoshiaki Sorioka,  
Sunhong Park, and Shuji Hashimoto
  - **Improving Maneuverability of Power-Assisted Valve for Fire Engines Based on Prediction of Valve Opening Times.** . . . . . 628  
Motoki Nakano, Takayuki Tanaka,  
Shun'ichi Kaneko, Koichi Yamano,  
and Yoichiro Tsutsui
  - **Piezo-Impact-Driven X-Y Stage and Precise Sample Holder for Accurate Microlens Alignment** . . . . . 635  
Yuuka Irie, Hisayuki Aoyama, Junichi Kubo,  
Takahiro Fujioka, and Takashi Usuda
  - **Sloshing Damping Control in a Cylindrical Container on a Wheeled Mobile Robot Using Dual-Swing Active-Vibration Reduction** . . 642  
Masafumi Hamaguchi and Takao Taniguchi
  - **Hybrid Planning for an Air Gap Adjustment System Using Fuzzy Models** . . . . . 647  
Philipp Adelt, Natascha Esau,  
and Alexander Schmidt
- Special Issue on Kukanchi Interactive Human-Space Design and Intelligence:**
- **Intelligent Ambience that can Influence Robot Behavior** . . . . . 657  
Shinichi Tsunoo, Takeshi Sakaguchi,  
Kazuhito Yokoi, and Kazuyoshi Wada

Vol.21 No.6, December 2009

**Editorial for Special Issue:**

- **Special Issue on Robot Vision – Vision for Action –** . . . . . 671  
Masanori Idesawa, Yasushi Mae,  
and Junji Oaki
- Papers:**
- **3D Object Modeling and Segmentation Using Image Edge Points in Cluttered Environments** 672  
Masahiro Tomono
  - **Measurement of Three-Dimensional Environment with a Fish-Eye Camera Based on Structure from Motion - Error Analysis** . 680  
Kenji Terabayashi, Hisanori Mitsumoto,  
Toru Morita, Yohei Aragaki,  
Noriko Shimomura, and Kazunori Umeda
  - **Object Detection and Recognition Using Template Matching with SIFT Features Assisted by Invisible Floor Marks.** . . . . . 689  
Seiji Aoyagi, Nobuhiko Hattori,  
Atsushi Kohama, Sho Komai, Masato Suzuk,  
Masaharu Takano, and Eiji Fukui
  - **Parallel Computation of the Region-Based Level Set Method for Boundary Detection of Moving Objects** . . . . . 698  
Xianfeng Fei, Yasunobu Igarashi,  
Makoto Shinkaim, Masatoshi Ishikawa,  
and Koichi Hashimoto
  - **Hand-Eye Motion-Invariant Pose Estimation with Online 1-Step GA – 3D Pose Tracking Accuracy Evaluation in Dynamic Hand-Eye Oscillation –** . . . . . 709  
Mamoru Minami and Wei Song

□ <b>High-Performance Active Camera Head Control Using PaLM-Tree . . . . .</b>	<b>720</b>
Takayuki Nakamura, Yoshio Sakata, Toshikazu Wada, and Haiyuan Wu	
□ <b>Fast Hand Feature Extraction Based on Connected Component Labeling, Distance Transform and Hough Transform. . . . .</b>	<b>726</b>
Le Dung and Makoto Mizukawa	
□ <b>User-Adaptable Hand Pose Estimation Technique for Human-Robot Interaction . . .</b>	<b>739</b>
Albert Causo, Etsuko Ueda, Kentaro Takemura, Yoshio Matsumoto, Jun Takamatsu, and Tsukasa Ogasawara	
□ <b>3D Hand Pose Estimation Using a Single Camera for Unspecified Users . . . . .</b>	<b>749</b>
Kiyoshi Hoshino and Motomasa Tomida	
□ <b>Functionally Layered Video Coding Based on JP2K for Robot Vision Network . . . . .</b>	<b>758</b>
Sakol Udomsiri, Hideki Taguchi, Tomoyuki Takahashi, Masahiro Iwahashi, and Tetsuya Kimura	
□ <b>Positional Features and Algorithmic Predictability of Visual Regions-of-Interest in Robot Hand Movement. . . . .</b>	<b>765</b>
Toyomi Fujita and Claudio M. Privitera	
□ <b>Interpretation of Cross-Traffic Accidents and Playing Catch Based on Newly Found Visual Perception Characteristics . . . . .</b>	<b>773</b>
Qin Wang, Lei Wang, and Masanori Idesawa	
□ <b>An Optical Tactile Sensor Assuming Cubic Polynomial Deformation of Elastic Body. . .</b>	<b>780</b>
Kiyoshi Hoshino, Daisuke Mori, and Motomasa Tomida	